

## Obrazac 16.

Stečajnom upravitelju Ana Glavan Dukić

Adresa Flaciusova 1, Pula

Poslovni broj spisa St-117/2019

### I. PRIJAVA TRAŽBINE U STEČAJNOM POSTUPKU

#### PODACI O VJEROVNIKU:

Ime i prezime / tvrtka ili naziv 3.MAJ Brodogradilište d.d.

OIB 86167814130

Adresa / sjedište

Liburnijska 3, Rijeka

#### PODACI O DUŽNIKU:

Ime i prezime / tvrtka ili naziv ULJANIK Strojogradnja Diesel d.d. u stečaju

OIB 35951488983

Adresa / sjedište

Flaciusova 1, Pula

### III. OBAVIJEST O IZLUČNOM PRAVU:

Pravna osnova izlučnog prava

Narudžba (točka 20/1 601121-8-002 ALATI I NAPRAVE) sa listom, e-mail korespondencija iz koje je razvodino da je materijal zaprimljen u ULJANIK Strojogradnja Diesel d.d. sada u stečaju, Pula.

Predmet izlučnog prava

Prema popisu koji dostavljamo u privitku.

Naznaka postojanja prava iz članka 148. Stečajnog zakona

---

---

---

Mjesto i datum

Rijeka, 31.3.2021. godine

Potpis vjerovnika

**3. MAJ**  
Brodogradilište d.d.  
Rijeka, Liburnijska 3

## Barbara Tapalović Kukuljan

---

**From:** Sveto zurak <sveto.zurak@3maj.hr>  
**Sent:** Tuesday, March 30, 2021 3:36 PM  
**To:** Barbara.Tapalovic@3maj.hr  
**Subject:** FW: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723  
**Attachments:** 20201106 723 GlavniMotor ZMiU.PDF; ABB - popis alata.pdf

još jedan pokušaj

---

**From:** Sveto zurak [mailto:sveto.zurak@3maj.hr]  
**Sent:** Tuesday, March 30, 2021 3:18 PM  
**To:** 'barbara.tapalovic.kukuljan@3maj.hr'  
**Subject:** FW: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Pozdrav,

mislim da je dovoljno da uz Zahtjev za izlučno pravo ide popis traženog alata, narudžba s napomenom za koju se točku narudžbe veže (točka 20 / 1 601121 – 8 - 002 ALATI I NAPRAVE) prepiska iz moje se vidi da je alat za turbopuhalo glavnog motora u Strojagradnji.

### Sveto Zurak

POMOĆNIK DIREKTORA ZA PRIPREMU PROIZVODNJE  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1009 | Mob: +385 98 442247  
[sveto.zurak@3maj.hr](mailto:sveto.zurak@3maj.hr)

---

**From:** Odvjetnica Ana Glavan [mailto:mail@odvjetnica-ana-glavan.hr]  
**Sent:** Monday, March 29, 2021 4:51 PM  
**To:** Sveto zurak  
**Subject:** Re: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Ako je sadržano u prošlom izlučnom onda ne trebate ništa novo slati jer sam se već očitovala u svezi tog izlučnog zahtjeva. Ono što je pronađeno sam dobila i to je to.

Ne znam na koje stvari islite, u Puli? Pula je sada dosuđena sljedećim ponuditeljima Trgometalu i Plazma tehnici i sada čekamo da vidimo što će biti. a Bene Trade 31. ožujka 2021. izlazi van i onda tamo više nema nikoga..

Možete mi napisati što treba Srećku Girottu jer ja stvarno više ne mogu i rješavati te stvari pogotovo kad sam im već pisala.. Napišite mi tekst što treba ako može..

Lp

---

**From:** Sveto zurak  
**Sent:** Monday, March 29, 2021 3:47 PM  
**To:** 'Odvjetnica Ana Glavan'  
**Cc:** Tomislav Prpić  
**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovana,

izlučni zahtjev je pripremljen i samo čekamo Direktora da ga sutra potpiše. Malo prije sam dobio pitanje – da li je bolje napisati novi Zahtjev ili se vezati za već ranije izdani s obzirom da je predmetni materijal dio kompleta glavnog motora za kojeg Vam je poslana dokumentacija narudžbe i dokaz a je materijal plaćen.

Isto tako imam još jedno pitanje – ako se situacija s novim vlasnikom ne razvija pozitivno da li mi možemo kupiti pojedinačno neke uređaje koji bi nam dobro došli za predaju motora a vlasništvo su Strojogradnje.

I još jednom Vas molim za dozvolu da nam g. Srećko Giroto dostavi potrebnu dokumentaciju.

Zahvaljujem,

pozdrav

**Sveto Zurak**

POMOĆNIK DIREKTORA ZA PRIPREMU PROIZVODNJE  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1009 | Mob: +385 98 442247  
[sveto.zurak@3.maj.hr](mailto:sveto.zurak@3.maj.hr)

---

**From:** Odvjetnica Ana Glavan [<mailto:mail@odvjetnica-ana-glavan.hr>]

**Sent:** Tuesday, March 23, 2021 2:45 PM

**To:** Sveto zurak

**Subject:** Re: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovani,

Poslala sam dva maila Srećku Giroto sa upitom pa nije ništa odgovorio. Pošaljite izlučni zahtjev slobodno, to i trebate jer bez njega ne mogu ništa ni postupati. To ste trebali odavno. U Puli ljudi više nema tako da ne znam tko će utvrđivati te stvari..Možete na moju adresu ili na sud. Ja ću napraviti što budem mogla..

Lp

**From:** [Sveto zurak](#)

**Sent:** Tuesday, March 23, 2021 2:23 PM

**To:** 'Odvjetnica Ana Glavan'

**Cc:** Tomislav Prpić

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovana,

još jednom Vas molim da nam odgovorite na mail jer g. Giroto iz Lloyd registra čeka Vaše dopuštenje da možemo koristiti svu potrebnu dokumentaciju i certifikate za rad na gr. 723.

Molim Vas suglasnosti da buduće certificiranje svih pozicija gradnje 723, koje je radila Uljanik Strojogradnja, rješavaju sa 3.MAJ Brodogradilištem, kao i te da se za potrebe proizvodnog procesa slobodno može koristiti dokumentacija osovinskog voda, kormila i krmenog sklopa kao i za glavni motor.

Kao što se vidi iz prethodnog maila tražiti ćemo izlučno pravo na još dio materijal.

da li je potrebno da idemo preko Oglasne ploče suda.

Pozdrav,

**Sveto Zurak**

POMOĆNIK DIREKTORA ZA PRIPREMU PROIZVODNJE  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1009 | Mob: +385 98 442247  
[sveto.zurak@3.maj.hr](mailto:sveto.zurak@3.maj.hr)

---

**From:** Sveto zurak [<mailto:sveto.zurak@3maj.hr>]  
**Sent:** Thursday, March 18, 2021 7:32 AM  
**To:** 'Odvjetnica Ana Glavan'  
**Cc:** Tomislav Prpić  
**Subject:** ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovana,

najprije da vas još jednom zamolim da se očitujete vezano za potvrdu da Lloyd registeru može koristiti svu potrebnu dokumentaciju i certifikate za rad na gr. 723. Hitno nam je.

Nakon što smo dovezli dostupni materijal iz Uljanik Strojogradnje ažuriramo nedostajuće pozicije pa smo tako došli do informacije da bi u Strojogradnji trebao biti i alat za turbopuhalo glavnog motora što se vidi iz donjeg dijela maila odnosno - prepiske o alatu za turbo punjač i specifikaciju alata.  
Istina je i da smo o tome pitali kolege iz Bene-traida i da je odgovor bio da bi još trebali pogledati ...  
Ukoliko nam možete pomoći, trebalo bi to što prije.

Zahvaljujem i pozdravljam Vas,

**Sveto Zurak**

POMOĆNIK DIREKTORA ZA PRIPREMU PROIZVODNJE  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1009 | Mob: +385 98 442247  
[sveto.zurak@3.maj.hr](mailto:sveto.zurak@3.maj.hr)

**Tomislav Prpić**

PROJECT MANAGER  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1447 | Mob: +385 91 236 5435  
[tomislav.prpic@3maj.hr](mailto:tomislav.prpic@3maj.hr) | <http://www.3maj.hr>

---

**From:** Vinka Stanić Klausberger [<mailto:vinka.klausberger@3maj.hr>]  
**Sent:** Wednesday, March 10, 2021 12:29 PM  
**To:** [tomislav.prpic@3maj.hr](mailto:tomislav.prpic@3maj.hr); [ivan.kocijan@3maj.hr](mailto:ivan.kocijan@3maj.hr)  
**Cc:** [miroslav.karlovic@3maj.hr](mailto:miroslav.karlovic@3maj.hr)  
**Subject:** FW: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Pozdrav,

U nastavku se nalazi dopisivanje između ABB-a i Strojogradnje iz 2017.godine gdje se može vidjeti da se traženi alat (potreban za pregled turbine GM) gr. 723 tada nalazio u Strojogradnji.

L.P

**Vinka Stanić Klausberger**

SAMOSTALNI REFERENT NABAVE  
3. MAJ Shipyard JSC | Liburnijska 3 | HR – 51000 Rijeka | P.O.BOX 197 | Croatia  
T: +385 51 61 1261 | F: +385 51 61 1800  
[vinka.klausberger@3maj.hr](mailto:vinka.klausberger@3maj.hr) | <http://www.3maj.hr>

**From:** Zeljko Nothig [<mailto:zeljko.nothig@hr.abb.com>]  
**Sent:** Wednesday, March 10, 2021 12:16 PM  
**To:** Vinka Stanić Klausberger ([vinka.klausberger@3maj.hr](mailto:vinka.klausberger@3maj.hr))  
**Subject:** FW: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovana,

Prosljeđujem mail vezano za dostupnost alata za navedeni brod.

Lp,

---

Željko Nöthig  
Account Manager Southeast Europe

ABB Ltd  
Turbocharging  
Janka Polić Kamova 103,  
HR-51000, Rijeka, Croatia  
Phone: +385 51 352 381  
Mobile: +385 91 238 3552  
Web: [www.abb.com](http://www.abb.com)

**From:** Marino Jurcan <[marino.jurcan@uljanik.hr](mailto:marino.jurcan@uljanik.hr)>  
**Sent:** Friday, December 1, 2017 2:36 PM  
**To:** Zeljko Nothig <[zeljko.nothig@hr.abb.com](mailto:zeljko.nothig@hr.abb.com)>  
**Cc:** Irena Miskulin <[irena.miskulin@hr.abb.com](mailto:irena.miskulin@hr.abb.com)>; Karlo Hlaca <[karlo.hlaca@hr.abb.com](mailto:karlo.hlaca@hr.abb.com)>; Ivica Turk <[Ivica.Turk@uljanik.hr](mailto:Ivica.Turk@uljanik.hr)>  
**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

---

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

---

Dobar dan.  
U prilogu lista alata koji se nalazi kod nas.  
M

---

**From:** Marino Jurcan  
**Sent:** Wednesday, November 29, 2017 2:43 PM  
**To:** 'Zeljko Nothig'  
**Cc:** 'Irena Miskulin'; 'Karlo Hlaca'  
**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Dobar dan.  
U prilogu potvrda plaćanja.  
Molim provjerite je li ikako moguće odraditi servis prije predloženog perioda 11-14.12.  
LP  
M.Jurcan

---

**From:** Marino Jurcan  
**Sent:** Wednesday, November 29, 2017 8:04 AM  
**To:** 'Zeljko Nothig'  
**Cc:** Milorad Učkar; Irena Miskulin; Karlo Hlaca; Saša Monas

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723  
**Importance:** High

Dobar dan,

info koji je imam je da nam predloženi period odgovara.  
Javimo se čim nam bude dostupna potvrda plaćanja.

Srdačan pozdrav,  
M.Jurcan

**Marino Jurcan**

rukovoditelj Nabave  
ULJANIK Strojogradnja Diesel d.d. | Flaciusova 1 | HR – 52100 Pula | Croatia  
T: +385 52 37 3062 | Mob: +385 99 3120317  
[marino.jurcan@uljanik.hr](mailto:marino.jurcan@uljanik.hr)



Please consider the environment - do you really need to print this email?

---

**From:** Zeljko Nothig [<mailto:zeljko.nothig@hr.abb.com>]  
**Sent:** Tuesday, November 28, 2017 4:19 PM  
**To:** Marino Jurcan  
**Cc:** Milorad Učkar; Irena Miskulin; Karlo Hlaca  
**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovani,

Zahvaljujemo na vašoj narudžbi.  
S obzirom na našu trenutačnu veliku zaposlenost molimo vas da nam javite ukoliko vam odgovara da navedeni servis obavimo u periodu od 11-14. Prosinca kako bi smo se pravovremeno organizirali.

Unaprijed hvala na razumijevanju.

S poštovanjem,



—  
**Željko Nöthig**

Head of Turbocharging Service Station

**ABB Ltd.**

Turbocharging Service Station Rijeka  
Janka Polić Kamova 103,  
HR-51000, Rijeka, Croatia  
Phone: +385 51 352 381  
Mobile: +385 91 238 3552  
[www.abb.com](http://www.abb.com)

---

**From:** Marino Jurcan [<mailto:marino.jurcan@uljanik.hr>]  
**Sent:** Tuesday, November 28, 2017 3:19 PM  
**To:** Zeljko Nothig <[zeljko.nothig@hr.abb.com](mailto:zeljko.nothig@hr.abb.com)>  
**Cc:** Milorad Učkar <[Milorad.Uckar@uljanik.hr](mailto:Milorad.Uckar@uljanik.hr)>  
**Subject:** FW: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Poštovani,

u prilogu naša nar. 202870 za servis turbopuhala na gradnji 723.  
Očekujem sutra potvrdu uplate te Vam je šaljem čim bude dostupna.

Srdačan pozdrav,

M.Jurcan

**Marino Jurcan**

rukovoditelj Nabave  
ULJANIK Strojogradnja Diesel d.d. | Flaciusova 1 | HR -- 52100 Pula | Croatia  
T: +385 52 37 3062 | Mob: +385 99 3120317  
[marino.jurcan@uljanik.hr](mailto:marino.jurcan@uljanik.hr)



Please consider the environment - do you really need to print this email?

**From:** Zeljko Nothig [<mailto:zeljko.nothig@hr.abb.com>]

**Sent:** Thursday, November 16, 2017 3:45 PM

**To:** Saša Monas

**Cc:** Milko Mihovilović; Milorad Učkar; Irena Miskulin; Vedran Belić

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovani,

Nastavno na donju prepisku u prilogu vam dostavljamo revidiranu ponudu za pregled turbopuhala na NB723.

Ujedno ovim putem se ispričavamo jer smo greškom ispustili uključiti putne troškove u prvoj ponudi. Međutim želimo vam naglasiti da ćemo putne troškove obračunati prema stvarnim troškovima s 10% manipulativnog troška.

Isto tako odobravamo vam popust od 10% na radove te je ukupna cijena s uključenim popustom na radove (bez popusta na odgodu isporuke dijelova prema ponudi u prilogu) te putnim troškovima u uznosu od 30.794,01KN.

Popust na odgodu isporuke dijelova je kako slijedi:

- > 7 dana – popust 5%,
- > 30 dana – popust 10%,
- > 120 dana – popust 20%.

Najraniji mogući termin dolaska na pregled turbopuhala s obzirom na trenutačnu zauzetost naših kapaciteta te potrebnog specijalnog alata za taj tip turbopuhala je od 27.11.2017. na dalje uz pravovremenu narudžbu te avansno plaćanje.

S poštovanjem,

**ABB**

—

**Željko Nöthig**

Head of Turbocharging Service Station

**ABB Ltd.**

Turbocharging Service Station Rijeka  
Janka Polić Kamova 103,  
HR-51000, Rijeka, Croatia  
Phone: +385 51 352 381  
Mobile: +385 91 238 3552  
[www.abb.com](http://www.abb.com)

**From:** Saša Monas [<mailto:Sasa.Monas@uljanik.hr>]

**Sent:** Thursday, November 16, 2017 8:29 AM

**To:** Zeljko Nothig <[zeljko.nothig@hr.abb.com](mailto:zeljko.nothig@hr.abb.com)>

**Cc:** Milko Mihovilović <[Milko.Mihovilovic@uljanik.hr](mailto:Milko.Mihovilovic@uljanik.hr)>; Milorad Učkar <[Milorad.Uckar@uljanik.hr](mailto:Milorad.Uckar@uljanik.hr)>; Irena Miskulin <[irena.miskulin@hr.abb.com](mailto:irena.miskulin@hr.abb.com)>; Vedran Belić <[Vedran.Belic@uljanik.hr](mailto:Vedran.Belic@uljanik.hr)>

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

---

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

---

Poštovani,

Zahvaljujem Vam na donjem mailu i opisanim mogućnostima oko dodatnih garancija na predmetno turbopuhalo.

Molim Vas da nam danas, a u skladu sa našim jučerašnjim razgovorom, pošaljete revidiranu Ponudu za pregled turbopuhala kao i mogući rok izvođenja radova, budući da donji mail i Ponudu moramo proslijediti meritornim službama u Brodogradilište u čijoj je domeni donošenje finalne odluke.

Lijepi pozdrav,

**Saša Monas**

RUKOVOĐITELJ PROJEKTA I KONSTRUKCIJE

ULJANIK Strojogradnja Diesel d.d. | Flaciusova 1 | HR – 52100 Pula | P.O.BOX 114 | Croatia

T: +385 52 37 3239 | F: +385 52 37 3750 | Mob: +385 99 2343754

[Sasa.Monas@uljanik.hr](mailto:Sasa.Monas@uljanik.hr) | **MailScanner has detected a possible fraud attempt from "emea01.safelinks.protection.outlook.com" claiming to be <http://www.uljanik.hr>**

**From:** Zeljko Nothig [<mailto:zeljko.nothig@hr.abb.com>]

**Sent:** Wednesday, November 15, 2017 4:26 PM

**To:** Saša Monas

**Cc:** Milko Mihovilović; Milorad Učkar; Irena Miskulin

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovani,

Nastavno na naš zadnji telefonski razgovor vezano za garanciju na predmetnom turbopuhalu dolje navodimo slijedeće opcije kako slijedi:

**AA)**

Standardni redovni pregled turbopuhala (opis posla prema dostavljanoj ponudi) uz standardnu garanciju na radove od 6 mjeseci. Navedeni redoviti pregled bi trebao biti dovoljan da se procijeni generalno stanje turbopuhala i eventualno procijeni ako treba zamjeniti neke od dijelova.

**BB)**

Opcija za moguće dobivanje produljenog jamstva/obnavljanje garancije ukoliko dobijemo odobrenje od tvornice je kako slijedi:

- Kompletan pregled turbopuhala
- Zamjena defektnih/oštećenih dijelova ukoliko je potrebno
- Eventualni "upgrade" određenih dijelova
- Plaćanje "produljenje garancije i naknadu za obnovu" u vrijednosti od 10% od prodajne cijene novog turbopuhala
- Plaćanje troškova pregleda turbopuhala prema standardnoj cijeni



- Plaćanje servisnog paketa (service kit) br.1 & br.2 te ostalih eventualnih dijelove potrebnih za zamjenu

Isto tako napominjemo da bi u oba slučaja trebalo obaviti pregled (naša stroga preporuka) turbopuhala prije planiranog ponovnog puštanja u rad predviđenog za 2018 godinu.

Molimo vas da nam javite koja je vaša preferirana opcija jer za opciju obnovljenog/produljenog jamstva moramo uključiti našu tvornicu na daljnje razmatranje.

S poštovanjem,



—  
**Željko Nöthig**

Head of Turbocharging Service Station

**ABB Ltd.**

Turbocharging Service Station Rijeka

Janka Polić Kamova 103,

HR-51000, Rijeka, Croatia

Phone: +385 51 352 381

Mobile: +385 91 238 3552

[www.abb.com](http://www.abb.com)

**From:** Zeljko Nothig

**Sent:** Thursday, November 09, 2017 2:49 PM

**To:** 'Saša Monas' <[Sasa.Monas@uljanik.hr](mailto:Sasa.Monas@uljanik.hr)>

**Cc:** Milko Mihovilović <[Milko.Mihovilovic@uljanik.hr](mailto:Milko.Mihovilovic@uljanik.hr)>; Milorad Učkar <[Milorad.Uckar@uljanik.hr](mailto:Milorad.Uckar@uljanik.hr)>; Irena Miskulin <[irena.miskulin@hr.abb.com](mailto:irena.miskulin@hr.abb.com)>

**Subject:** RE: ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

Poštovani,

Nastavno na donji mail te naš zadnji tel razgovor u narednom tjednu ćemo vam javiti mogući (precizniji) termin dolaska na pregled turbopuhala s obzirom na trenutačnu zauzetost naših kapaciteta te potrebnog specijalnog alata za taj tip turbopuhala.

S poštovanjem,



—  
**Željko Nöthig**

Head of Turbocharging Service Station

**ABB Ltd.**

Turbocharging Service Station Rijeka

Janka Polić Kamova 103,

HR-51000, Rijeka, Croatia

Phone: +385 51 352 381

Mobile: +385 91 238 3552

[www.abb.com](http://www.abb.com)

**From:** Saša Monas [mailto:Sasa.Monas@uljanik.hr]

**Sent:** Monday, October 30, 2017 9:42 AM

**To:** Zeljko Nothig <zeljko.nothig@hr.abb.com>

**Cc:** Milko Mihovilović <Milko.Mihovilovic@uljanik.hr>; Milorad Učkar <Milorad.Uckar@uljanik.hr>

**Subject:** ABB quotation for turbocharger, main engine 6G50ME-B9.3, Uljanik NB723

---

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

---

Poštovani g. Nöthig,

Ovim putem Vam se želim još jednom zahvaliti na Vašem posjetu i ugodnom sastanku od prošlog petka.

U skladu sa dogovorom proslijeđujem Vam podatke o očitanoj temperaturi i vlažnosti zraka u sustavu odvlaživanja glavnog motora 6G50ME-B9.3 na NB723, a u koji je uključena i predmetna ABB turbina. Očitavanja se odnose na prošli mjesec. Za prethodne mjesece još čekam da mi se dostave podaci, međutim očitavanja se nalaze u istim granicama.

Također Vam šaljem i ponudu ABB-a po kojoj je kupljena navedena turbina, a u kojoj ponudi su navedeni uvjeti za garanciju. Uzimajući u obzir da je FAT test navedenog motora odrađen 16.06.2016. to proizlazi da je garancija na navedenu turbinu u isteku. Ukupni broj sati rada navedene turbine na probnom stolu nije veći od 25h.

Uzimajući u obzir gore navedene činjenice interesira nas da li je moguće od proizvođača turbine dobiti produljeno jamstvo za navedenu turbinu, a koje bi se računalo od njenog stavljanja u trajnu upotrebu, a što se očekuje u 3. kvartalu slijedeće godine, vodeći računa da će prethodno njen detaljan pregled obaviti Vaša ovlaštena ABB servisna stanica.

U očekivanju Vaše revidirane ponude za pregled turbopuhala, te javljanja mogućeg roka za izvođenje tog posla sa Vaše strane, šaljem

Lijepi pozdrav,

**Saša Monas**

RUKOVODITELJ PROJEKTA I KONSTRUKCIJE

ULJANIK Strojogradnja Diesel d.d. | Flaciusova 1 | HR – 52100 Pula | P.O.BOX 114 | Croatia

T: +385 52 37 3239 | F: +385 52 37 3750 | Mob: +385 99 2343754

Sasa.Monas@uljanik.hr | **MailScanner has detected a possible fraud attempt from "emea01.safelinks.protection.outlook.com" claiming to be** <http://www.uljanik.hr>

---

The information in this email is confidential and it is intended solely for the addressee. Access to this email by anyone else is unauthorized. If you are not the intended recipient, any distribution, copying, duplication or disclosure is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and destroy it, and all copies of it.

Ova poruka je povjerljiva i namijenjena isključivo primateljima navedenim u zaglavlju iste. Svaki pristup, distribucija, umnožavanje ili otkrivanje sadržaja ove poruke trećim osobama strogo je zabranjeno i smatra se protuzakonitim. Ukoliko ste greškom dobili ovu poruku, molimo Vas da što prije obavijestite pošilatelja poruke i uništite sve postojeće kopije.

Email secured by Check Point

\*\*\* Važno: ne otvarajte privitke (attachmente) od nepoznatih pošilatelja \*\*\*

---

The information in this email is confidential and it is intended solely for the addressee. Access to this email by anyone else is unauthorized. If you are not the intended recipient, any distribution, copying, duplication or disclosure is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and destroy it, and all copies of it.

Ova poruka je povjerljiva i namijenjena isključivo primateljima navedenim u zaglavlju iste. Svaki pristup, distribucija, umnožavanje ili otkrivanje sadržaja ove poruke trećim osobama strogo je zabranjeno i smatra se protuzakonitim. Ukoliko ste greškom dobili ovu poruku, molimo Vas da što prije obavijestite pošilatelja poruke i uništite sve postojeće kopije.

Email secured by Check Point

\*\*\* Važno: ne otvarajte privitke (attachmente) od nepoznatih pošiljatelja \*\*\*

---

The information in this email is confidential and it is intended solely for the addressee. Access to this email by anyone else is unauthorized. If you are not the intended recipient, any distribution, copying, duplication or disclosure is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and destroy it, and all copies of it.

Ova poruka je povjerljiva i namijenjena isključivo primateljima navedenim u zaglavlju iste. Svaki pristup, distribucija, umnožavanje ili otkrivanje sadržaja ove poruke trećim osobama strogo je zabranjeno i smatra se protuzakonitim. Ukoliko ste greškom dobili ovu poruku, molimo Vas da što prije obavijestite pošiljatelja poruke i uništite sve postojeće kopije.


Email secured by Check Point

\*\*\* Važno: ne otvarajte privitke (attachmente) od nepoznatih pošiljatelja \*\*\*

---







The information in this email is confidential and it is intended solely for the addressee. Access to this email by anyone else is unauthorized. If you are not the intended recipient, any distribution, copying, duplication or disclosure is prohibited and may be unlawful. If you have received this email in error, please notify the sender immediately and destroy it, and all copies of it.

Ova poruka je povjerljiva i namijenjena isključivo primateljima navedenim u zaglavlju iste. Svaki pristup, distribucija, umnožavanje ili otkrivanje sadržaja ove poruke trećim osobama strogo je zabranjeno i smatra se protuzakonitim. Ukoliko ste greškom dobili ovu poruku, molimo Vas da što prije obavijestite pošiljatelja poruke i uništite sve postojeće kopije.



Ova e-pošta je provjerena na viruse Avast protuvirusnim programom.  
[www.avast.com](http://www.avast.com)

POPIS ALATA

Tools ZT03 / ZTV01		List of tools			Page 1 of 6	
TURBOPUHALO EXHAUST GAS TURBOCHARGER					Ship NO.	
TIF Type A165-L					Box NO.	
Pos.	IME Name	SKICA Sketch (weight) [kg]	Material	KOLIČINA Quantity	DIO BR. Part no.	PRIMEDBE Remarks
1	Box KUTIJA	(ca. 40.0) 		1	90010	
2	Lifting device NAPRAVA ZA DIZANJE	(8.6) 		1	90190	
3	Shackle ŠKOPAC	(1.0) 		2	90195	
4	Support angle KUTNA POTPORA	(4.9) 		1	90025	
5	Support NOSAČ	(2x 5.0) 		1	90451	
ABB Turbo Systems Ltd						

HZTL445625R0001 Mod. - / 2011-06-16

FR(Freigegeben)






## EXHAUST GAS TURBOCHARGER

Ship NO.

Type

A165-L

Box NO.

Pos	Name	Sketch (weight) [kg]	Material	Quantity	Part no.	Remarks
7	Lifting eye bolt <i>OKRETN I VIJAK ZA PODIŽANJE</i>	(0.1) 		1	90234	
8	Swivel lifting eye <i>OKRETN I VIJAK ZA PODIŽANJE</i>	(1.4) 		1	90449	
9	Swivel lifting eye <i>- 1</i>	(0.4) 		3	90231	
10	Guide tube <i>CIJEVNA VODILICA</i>	(0.5) 		1	90419	
ABB Turbo Systems Ltd						

HZTL445625R0001 Mod. - / 2011-06-16

FR(Freigegeben)







## EXHAUST GAS TURBOCHARGER

Ship NO.

Type

A165-L

Box NO.

Pos	Name	Sketch (weight) [kg]	Material	Quantity	Part no.	Remarks
11	Guide tube - 11	(0.5) 		1	90303	
12	Guide tube - 11	(1.5) 		1	90304	
13	Guide stud SIPKA S NAVOJEM	(0.1) 		2	90318	
14	Guide stud - 11	(0.1) 		3	90319	
15	Guide stud - 11	(1.0) 		4	90316	
ABB Turbo Systems Ltd						

HZTL445625R0001 Mod. - / 2011-06-16

FR(Freigegeben)







## EXHAUST GAS TURBOCHARGER

Ship NO.

Type






A165-L

Box NO.








Pos	Name	Sketch (weight) [kg]	Material	Quantity	Part no.	Remarks
16	Guide stud <i>- 11 -</i>	(0.3) 		3	90317	
17	Guide stud <i>- 11 -</i>	(0.5) 		3	90321	
18	Guide stud <i>- 11 -</i>	(0.5) 		3	90320	
19	Guide tube <i>CIJEVNA VODILICA</i>	(2.2) 		1	90422	
20	Extractor bush <i>BLAZINI CA</i>	(0.6) 		1	90412	
ABB Turbo Systems Ltd						

HZTL445625R0001 Mod. - / 2011-06-16

FR(Freigegeben)

Tools ZT03 / ZTV01		List of tools			Page 5 of 6	
EXHAUST GAS TURBOCHARGER					Ship NO.	
Type A165-L					Box NO.	
Pos	Name	Sketch (weight) [kg]	Material	Quantity	Part no.	Remarks
21	Suspension device <i>NAPRAVA ZA ZAVJESENJE</i>	 (1.2)		1	90439	
22	Assembly plate <i>PLOČICA ZA MONTAŽU</i>	 (1.9)		1	90020	
23	Protection pipe <i>ZASTITNA CIJEV</i>	 (0.1)		1	90440	
24	Shim <i>PODLOŽNA PLOČICA</i>	 (0.1)		2	90387	
ABB Turbo Systems Ltd						



Tools ZT03 / ZTV01		List of tools			Page 6 of 6	
EXHAUST GAS TURBOCHARGER					Ship NO.	
Type A165-L					Box NO.	
Pos	Name	Sketch (weight) [kg]	Material	Quantity	Part no.	Remarks
25	Clamping bush  BLAZINICA S PRIKUBNICOM	(1.5) 		1	90475	
26	Press-off screw  VIJAK	(0.3) 		6	90900	
27	Press-off screw  - (H)	(0.2) 		3	90920	
28	Split pin driver  RAZDELNA PRIBADAČA	(0.1) 		2	90443	
29	C-spanner with pin  C-ključ	(0.8) 		1	90444	
41	Locking device  NA PRAVA ZA ZAKLJUČAVANJE	(3.7) 		1	94003	
ABB Turbo Systems Ltd						

**3. MAJ****Brodogradilište d.d.**HR 51000 RIJEKA, Liburnijska 3 – HRVATSKA, p.p. 197  
e-mail: gmanageroffice@3maj.hr, web: www.3maj.hr

Tel.: +385 (0) 51 611-111

+385 (0) 51 611-000

Fax.: +385 (0) 51 611-870



Narudžba: 1130-4/303647

Dat. 06.11.20

Str. 1 od 10

**Referent**

Irena Loriš

**Tel.**

+385 (0)51 611 261

**Fax**

+385 (0)51 611 800

Narudžba: 1130-4/303647

**Specifikator**

Sven Stojšić

**Dobavljač**

ULJANIK STROJOGRAĐNJA D.D.

Flaciusova 1

52100 PULA

REPUBLIKA HRVATSKA

**Ref. dobavljača**

g. Učkar

**Projekt**

723

**Ponuda**

N-015/14 i Dod.1 i 2

**Oznaka pošiljke**

U-8A30-4/303647/723/

**Uvjeti isporuke**

CIP Rijeka

**Transport**

Brodom

GLAVNI MOTOR

Molimo dostavite materijal, izvršite uslugu prema slijedećem popisu i definiranim uvjetima  
na mjesto zaprimanja.

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
1 / 1 601121-2-001	GLAVNI MOTOR	1,000 KOM 270.000,00 KG 20.11.15	2.761.290,00 1 KOM	2.761.290,00

**Popis oznaka**

601121-2-001 GLAVNI MOTOR

**Description:****Basic engine particulars:**

Two-stroke diesel engine, crosshead type, slow speed, long stroke, direct reversible, constant pressure turbocharged of IMO Tier II emission type with direct fuel injection shall be offered for the intended purpose, with high efficiency turbocharger and part load exhaust gas bypass (EGB) tuning.

The engine to burn HFO, MDO or MGO with characteristics specified herebelow.

The engine is direct coupled to the single fixed pitch propeller plant

Gallery and platforms around the engine shall be provided. Final location will be defined later.

**Automation, instrumentation and control:**

Monitoring panel, local monitoring instruments (manometers, thermometers etc.); sensors for alarming, indication and safety; wiring up to terminal boxes shall be provided according to Class requirements and maker's standard.

The sensors/switches for safety, alarm and monitoring functions shall be wired up to terminal boxes on the engine.

All manometers shall be of shock resistant type equipped with dampers and test valves.

All thermometers shall be with protecting wells and of antivibration type.

- Uprava / Director: Edi Kučan
- Predsjednik Nadzornog odbora / President of the Supervisory Board: I. Juraj Šojić
- Temeljni kapital / Capital stock: 181.214.000,00 HRK (uplaćen u cijelosti / entirely paid)
- Broj izdanih dionica / Nominalna vrijednost / No. of issued shares / Nominal share value: 1 812.140 à 100,00 HRK

- Trgovački sud u Rijeci / Commercial Court in Rijeka
- MBS / Reg No.: 040000333
- OIB / Personal identification number: 88167814130
- PDV id. broj / VAT number: HR86167814130

**BANKA I SJEDIŠTE / BANK AND ADDRESS**

ERSTE & STEIERMÄRKISCHE BANK d.d. Jadranski trg 3A, 51000 Rijeka  
Privredna banka Zagreb d.d., Radnička cesta 50, 10000 Zagreb

**IBAN**

HR8024020061100445061  
HR4023400091110605277

**SWIFT CODE**

ESBCHR22  
PBZGHR2X

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5

## Main engine technical data:

- 1) Name/producer code: 6G50ME-B9.3-Tier II
- 2) No. of engine strokes: two-strokes
- 3) Engine reversibility: direct reversible
- 4) Engine rpm type: slow speed
- 5) No. of cylinders: 6
- 6) Engine configuration: in line
- 7) NMCR power: 10320 kW
- 8) Engine speed at NMCR: 100 min-1
- 9) SMCR power: 7020 kW
- 10) Engine speed at SMCR: 85 min-1
- 11) NCR power: 5756 kW
- 12) Engine service speed at NCR: 79,6 min-1
- 13) Fuel oil type: HFO and MDO or MGO (see note 2)
- 14) Engine cooling: fresh water
- 15) Direction of engine rotation: clockwise

## Note:

- 1) Abbreviations: NMCR - Nominal Maximum Continuous Rating  
SMCR - Specified Maximum Continuous Rating  
NCR - Normal Continuous Rating
- 2) Qualities of the fuel that will be used on board:
  - a) Heavy Fuel Oil (HFO) up to 380 cSt at 50°C - ISO 8217:2012(E) - designation ISO-F-RMG 35
  - b) Marine Diesel Oil (MDO) with content of sulphur less than 0,1 % and viscosity 11 cSt at 40°C - ISO 8217:2012(E) - designation ISO-F-DMB
  - c) Marine Gas Oil (MGO) with content of sulphur less than 0,1 % and viscosity 1,5-6,0 cSt at 40°C - ISO 8217:2012(E) - designation ISO-F-DMA

## General Technical Conditions:

Outside air humidity: 60%

Engine room temperature: 45°C

Alternative electric current available on board: 3x440 V, 3x220 V, 220 V; 60 Hz

Direct electric current available on board: 24V direct current

## Loose equipment:

Standard loose equipment required by Class and according to maker's standard shall be delivered.

Itemized list of above equipment shall be submitted in English language.

## Spare parts:

Spare parts shall be supplied in quantity and assortment as required by the Classification Society Rules and by National Regulation Rules, as applicable.

Spare parts included in maker's standard scope of supply shall be delivered without additional charge.

Optional spare parts with itemized list, exceeding obligatory spare parts (if required), shall be offered with separately indicated price.

## Tools:

One set of tools necessary for overhauling and maintenance according to maker's recommendation shall be supplied.

Itemized list of above tools shall be submitted in English language.

Each item shall be supplied with a label indicating denomination and code number.

## Commissioning/Mounting/Testing:

Following activities attended/performed by offerer's servicemen shall be included in the offer:

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
	<div>- Engine installation, including supervising the installation/assembly/electrical connection</div> <div>- Engine adjustment/functional test on board ship, sea trial and inspection after sea trial</div> <div>- Check-out and start-up</div> <div>- Acceptance test</div> <div>Total number of serviceman days: 45</div>			
2 / 1 POD Vezano uz poz. 1	Documentation	1,000 CPL  20.11.15	0,00 1 CPL	0,00
3 / 1 KU Vezano uz poz. 1	Instruction Books	1,000 CPL  20.11.15	0,00 1 CPL	0,00
4 / 1 C1 Vezano uz poz. 1	Classification Certificate	1,000 CPL  15.01.16	0,00 1 CPL	0,00
6 / 1 601121-2-005	ORMARIĆ UPUTNIKA STR ZA OKRETANJE	1,000KOM ,500 KG 20.11.15	3.290,00 1KOM	3.290,00
Popis oznaka				
601121-2-005		ORMARIĆ UPUTNIKA STR ZA OKRETANJE		
Materijal ČELIK				
7 / 1 601121-2-006	STROJ ZA OKRETANJE	1,000KOM ,100 KG 20.11.15	12.200,00 1KOM	12.200,00
Popis oznaka				
601121-2-006		STROJ ZA OKRETANJE		
Materijal ČELIK				
8 / 1 601121-2-007	ODUŠNA KAPA ULJNIH PARA	1,000KOM 8,000 KG 20.11.15	3.260,00 1KOM	3.260,00
Popis oznaka				
601121-2-007		ODUŠNA KAPA ULJNIH PARA		
Materijal ČELIK				
9 / 1 601121-2-008	ISPUST ULJA IZ G.M.	1,000 CPL ,510 KG 20.11.15	5.400,00 1 CPL	5.400,00
Popis oznaka				
601121-2-008		ISPUST ULJA IZ G.M.		
Materijal ČELIK				

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
10 / 1	PRIJELAZNI ISPUŠNI KOMAD IZ TURBOPUHALA	1,000 KOM 260,000 KG 20.11.15	3.100,00 1 KOM	3.100,00
601121-2-009				
Popis oznaka				
601121-2-009	PRIJELAZNI ISPUŠNI KOMAD IZ TURBOPUHALA			
Materijal ČELIK				
11 / 1	VIJCI ZA NIVELIRANJE MOTORA	1,000 KPL 150,000 KG 20.11.15	600,00 1 KPL	600,00
601121-2-010				
Popis oznaka				
601121-2-010	VIJCI ZA NIVELIRANJE MOTORA			
Materijal ČELIK				
12 / 1	TEMELJNI VIJCI	1,000 KPL 676,000 KG 20.11.15	8.300,00 1 KPL	8.300,00
601121-2-011				
Popis oznaka				
601121-2-011	TEMELJNI VIJCI			
Materijal ČELIK				
13 / 1	KLINOVI ZA BOČNO UKLINJENJE- L	1,000 KPL 81,000 KG 20.11.15	960,00 1 KPL	960,00
601121-2-012				
Popis oznaka				
601121-2-012	KLINOVI ZA BOČNO UKLINJENJE- L			
Materijal ČELIK				
14 / 1	KLINOVI ZA BOČNO UKLINJENJE-D	1,000 KPL 81,000 KG 20.11.15	960,00 1 KPL	960,00
601121-2-013				
Popis oznaka				
601121-2-013	KLINOVI ZA BOČNO UKLINJENJE-D			
Materijal ČELIK				
15 / 1	BOČNA UPORA	1,000 KPL 195,000 KG 20.11.15	2.500,00 1 KPL	2.500,00
601121-2-014				
Popis oznaka				
601121-2-014	BOČNA UPORA-DOLE			
Materijal ČELIK				
16 / 1	ČELINA UPORA	1,000 KPL 132,000 KG 20.11.15	880,00 1 KPL	880,00
601121-2-015				
Popis oznaka				

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
	601121-2-015 ČELNA UPORA-DOLE Materijal ČELIK			
17 / 1	KOMPLET VIJAKA ZA ČELNO UKLINJ.	1,000 KPL	1.080,00	1.080,00
601121-2-016		43,000 KG 20.11.15	1 KPL	
<b>Popis oznaka</b>				
	601121-2-016 KOMPLET VIJAKA ZA ČELNO UKLINJ.			
Materijal ČELIK				
18 / 1	PODLOŠKE ČELNE UPORE	1,000 KPL	520,00	520,00
601121-2-017		43,000 KG 20.11.15	1 KPL	
<b>Popis oznaka</b>				
	601121-2-017 PODLOŠKE ČELNE UPORE			
Materijal ČELIK				
19 / 1	EL. GORNJEG BOČNOG UKRUČENJA	1,000 KPL	4.400,00	4.400,00
601121-2-018		690,000 KG 20.11.15	1 KPL	
<b>Popis oznaka</b>				
	601121-2-018 EL. GORNJEG BOČNOG UKRUČENJA			
Materijal ČELIK				
20 / 1	ALATI I NAPRAVE	1,000 CPL	96.000,00	96.000,00
601121-8-002		2.385,000 KG 20.11.15	1 CPL	
<b>Popis oznaka</b>				
	601121-8-002 ALATI I NAPRAVE			
21 / 1	REZERNI DIJELOVI	,000 CPL	198.000,00	0,00
601121-9-003		20.11.15	1 CPL	
<b>Popis oznaka</b>				
	601121-9-003 REZERVNI DIJELOVI			
22 / 1	JEDI. ZA ČIŠĆENJE RASHLADNIK ZRAKA GM	1,000 KOM 27,000 KG 24.06.16	100,00 1 KOM	100,00
601121-2-019				
<b>Popis oznaka</b>				
	601121-2-019 JEDI. ZA ČIŠĆENJE RASHLADNIK ZRAKA GM			

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
23 / 1 601121-2-020	UREĐAJ ZA ISPITIVANJE-PPMI 2000	1,000KOM 16,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-020	UREĐAJ ZA ISPITIVANJE-PPMI 2000			
25 / 1 601121-2-031	KONTROLNI KABINET GM	1,000KOM 45,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-031	KONTROLNI KABINET GM			
26 / 1 601121-2-032	PANEL ULJNIH PARA	1,000KOM 2,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-032	PANEL ULJNIH PARA			
27 / 1 601121-2-033	KONTROLNI PANEL (MOP A)	1,000KOM ,500 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-033	KONTROLNI PANEL (MOP A)			
28 / 1 601121-2-034	KONTROLNI PANEL (MOP B)	1,000KOM ,500 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-034	KONTROLNI PANEL (MOP B)			
29 / 1 601121-2-035	INDIKATOR BROJA OKRETAJA TURBO PUHALA	1,000KOM ,500 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-035	INDIKATOR BROJA OKRETAJA TURBO PUHALA			
30 / 1 601121-2-036	BWMS KONTROLNI PANEL	1,000KOM ,500 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-036	BWMS KONTROLNI PANEL			

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
31 / 1 601121-2-037	<b>BWMS PROCESOR</b>	1,000KOM ,200 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-037	BWMS PROCESOR			
32 / 1 601121-2-038	<b>BWMS MEĐUSKLOP</b>	1,000KOM ,200 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-038	BWMS MEĐUSKLOP			
33 / 1 601121-2-039	<b>POMOĆNA PUHALA-KONTROLNI KABINET</b>	1,000KOM 32,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-039	POMOĆNA PUHALA-KONTROLNI KABINET			
34 / 1 601121-2-040	<b>STARTER HIDR.PUMPE GM-BR.1</b>	1,000KOM 80,000 KG 24.06.16	99.100,00 1KOM	99.100,00
<b>Popis oznaka</b>				
601121-2-040	STARTER HIDR.PUMPE GM-BR.1			
35 / 1 601121-2-041	<b>STARTER HIDR.PUMPE GM-BR.2</b>	1,000KOM 80,000 KG 24.06.16	99.100,00 1KOM	99.100,00
<b>Popis oznaka</b>				
601121-2-041	STARTER HIDR.PUMPE GM-BR.2			
36 / 1 601121-2-045	<b>PMI SWITCH/HUB</b>	1,000KOM 1,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				
601121-2-045	PMI SWITCH/HUB			
37 / 1 601121-2-046	<b>PMI PATCH PANEL</b>	1,000KOM 2,000 KG 24.06.16	100,00 1KOM	100,00
<b>Popis oznaka</b>				



Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
	601121-2-046 PMI PATCH PANEL			
38 / 1	UNIVERZALNI PREDAJNIK	1,000KOM	100,00	100,00
601121-2-048		1,000 KG	1KOM	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-048 UNIVERZALNI PREDAJNIK			
39 / 1	SET ZA UTEMELJENJE GM	1,000 SET	100,00	100,00
601121-2-053		20,000 KG	1 SET	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-053 SET ZA UTEMELJENJE GM			
40 / 1	SP.KUTIJA S UTIČ.ZA ZAKRETNIK ZAMAŠNJAKA	1,000KOM	100,00	100,00
601121-2-054		,510 KG	1KOM	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-054 SP.KUTIJA S UTIČ.ZA ZAKRETNIK ZAMAŠNJAKA			
41 / 1	ANALOGNI PRETVARAČ	1,000KOM	59,00	59,00
601121-2-049		1,000 KG	1KOM	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-049 ANALOGNI PRETVARAČ			
42 / 1	KONTROLNI PANEL ZA HYDR.AUTO FILTER	1,000KOM	1,00	1,00
601121-2-058		,510 KG	1KOM	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-058 KONTROLNI PANEL ZA HYDR.AUTO FILTER			
43 / 1	PLOČA ZA ALATE-MS904	1,000KOM	20,00	20,00
601121-2-062		45,000 KG	1KOM	
		24.06.16		
<b>Popis oznaka</b>				
	601121-2-062 PLOČA ZA ALATE-MS904			
	Dimenzija 900X900			

Red.br. Oznaka	Opis	Količina Masa Rok isp.	Jed.cijena JM cijene Popust %	Ukupan iznos: EUR
1	2	3	4	5
44 / 1 601121-2-063	PLOČA ZA ALATE-MS905	1,000KOM 60,000 KG 24.06.16	10,00 1KOM	10,00
<b>Popis oznaka</b>				
601121-2-063 PLOČA ZA ALATE-MS905				
Dimenzija 900X1350				
45 / 1 601121-2-064	PLOČA ZA ALATE-MS906	1,000KOM 45,000 KG 24.06.16	10,00 1KOM	10,00
<b>Popis oznaka</b>				
601121-2-064 PLOČA ZA ALATE-MS906				
Dimenzija 900X900				
46 / 1 601121-2-065	PLOČA ZA ALATE-MS901	1,000KOM 60,000 KG 24.06.16	10,00 1KOM	10,00
<b>Popis oznaka</b>				
601121-2-065 PLOČA ZA ALATE-MS901				
Dimenzija 900X1350				
47 / 1 601121-2-066	PLOČA ZA ALATE-MS902	1,000KOM 60,000 KG 24.06.16	10,00 1KOM	10,00
<b>Popis oznaka</b>				
601121-2-066 PLOČA ZA ALATE-MS902				
Dimenzija 900X1350				
48 / 1 601121-2-067	PLOČA ZA ALATE-MS908	1,000KOM 45,000 KG 24.06.16	10,00 1KOM	10,00
<b>Popis oznaka</b>				
601121-2-067 PLOČA ZA ALATE-MS908				
Dimenzija 900X900				
49 / 1 601121-2-068	PLOČA ZA ALATE-MS908	1,000KOM 45,000 KG 24.06.16	30,00 1KOM	30,00
<b>Popis oznaka</b>				
601121-2-068 PLOČA ZA ALATE-MS908				
Dimenzija 900X900				

Ukupan iznos: 3.104.700,00 EUR

Adresa isporuke

## Uvjeti plaćanja

UZI, plaćanje prema ugovoru

3. MAJ BRODOGRADILIŠTE D. D.  
Liburnijska 3  
51000 Rijeka  
Croatia

---

3. MAJ Brodogradilište d. d.